

## Lebanon R-III School District

www.lebanon.k12.mo.us

224 West Commercial St. Lebanon, MO 65536 P. 417.657.6001

April 17, 2024		
Dear Sir:		
Enclosed are the specifications for two (2) new school buses with lifts.  Your bid must be submitted <b>on or before 10:00 a.m., April 24th.</b> Please submit your bid in an envelope marked,  "SEALED BID – SCHOOL BUS."		
	Lebanon R-3 Schools Adam Dameron 224 West Commercial St. Lebanon, Mo. 65536	
We request delivery of buses on or before July 15th, 2024.		
If you have questions about the bidding process, please feel free to contact Joe Pemberton, Director of Transportation at 573-280-8158 417-657-6131 <a href="mailto:jpemberton@lebanon.k12.mo.us">jpemberton@lebanon.k12.mo.us</a>		
The Lebanon R-3 Board of Education reserves the right to accept or reject any and all bids.		
Sincerely,		
Joe Pemberton Director of Transportation	on	

## LEBANON R-3 SCHOOL DISTRICT Lebanon, Missouri 65536

## SPECIFICATIONS: Two (2) fifty four-fifty six (54-56) with (3) three wheel chair positions Passenger School Bus Body

1. There shall be displayed on each side of the buses the name, **LEBANON R-3 SCHOOL DISTRICT**, in letters not less than 5-1/2" in height, with a stroke of not less than 3/8" wide. Additional lettering shall be made on the rear of the buses as follows:

## STATE LAW – STOP - not less than 5" high WHILE BUS IS LOADING AND UNLOADING – not less than 3" high

- 2. Two (2) water shut-off valves for heater at engine.
- 3. The buses shall be equipped with right and left side defrosters and two (2) six inch (6") minimum defroster fans.
- 4. Outside mirrors to meet Missouri specifications and Federal Laws that are applicable in Missouri. Both rear view and cross-view mirrors to be heated.
- 5. Battery slide-out tray capacity for three (3) batteries
- 6. All side and back windows to be dark tint
- 7. Body Fluid clean-up kit.
- 8. If conventional-Electric front crossing gate with cancellation switch to meet Missouri specifications with magnetic latch on bumper. Specialty 6000 series.
- 9. Roof to be painted white.
- 10. Strobe light to be mounted within reach of the rear emergency roof hatch.
- 11. Power point for telephone in driver area
- 12. 6" x 30" interior mirror w/ Back-Up Camera View
- 13. Fire retardant upholstery must be a minimum of 42 oz
- 14. First Two Rows of seats equipped with (2) CRS seats per seat All remaining seats are to be removable track mounted style
- 15. Braun Wheelchair Lift in right rear corner-1,000 lb. capacity
- 16. (3) sets of QRT-MAX retractable wheelchair restraint belts Evac Blanket & Wheelchair Lift padding
- 17. Interior to be brown with brown rubber flooring

- 18. Tilt & Telescoping Steering Column
- 19. Full Length Noise Reduction Headliner
- 20. Manually operated passenger door
- 21. MCC/Carrier Air Conditioning System: front & rear in-wall evaporators + driver's dash air & skirt mounted condensers \*all a/c hoses are completely loomed full length
- 22. AM/FM Radio and PA system 6 speakers.
- 23. No Student Left Behind Check System
- 24. REI, 9 Camera system per districts specs
- 25. External lamp check
- 26. Crossing Control Arm on front bumper w/ cancel switch
- 27. "238" wheel base
- 28. 10,000 lb. front axle w/ oil filled hubs 8,500 lb. front springs 21,000 lb. rear axle w/ 5.29 gears 19,000 lb. rear springs
- 29. Diesel Cummins inline 6 cylinder engine.
- 30. Allison 2500 Series 6-speed Automatic Transmission
- 31. LED/STROBE 8-way lights
  - LED/STROBE dual stop arms
  - LED flush mounted clearance & cluster lights
  - LED stop & tail lights, back-up lights & all directionals LED roof mounted strobe light
  - LED interior & exterior entrance door/stepwell lights LED interior & exterior wheelchair lift door lights
  - LED dome lights above side windows w/ separate LED driver's light Vandal Locks: entrance, rear emergency & wheelchair lift doors
- 32. Brakes 4-wheel anti-lock disc brakes with.
- 33. Michelin 16 ply Tires: highway tread on front, traction tread on rear, front & rear Front & Rear Tires are factory balanced
- 34. Fuel tank guard to meet Missouri and Federal Specifications.
- 35. THREE (3) group 31 batteries = 2100 CCA, mounted in battery slide-out tray on purchased bus body.

The Lebanon R-3 Board of Education reserves the right to accept or reject any an	nd all bids